Author Index

Åbjörnsson, K., Brönmark, C. & Hansson, L.-A. The relative importance of lethal and non-lethal effects of fish on insect colonisation of ponds, 1489

Adis, J. & Junk, W. J. Terrestrial invertebrates inhabiting lowland river floodplains of Central Amazonia and Central Europe: a review, 711

Adler, P. H. *see* Hamada, N.

Adrian, R. *see* Gerten, D.

see also Mohr, S.

Alexander, J. E. Jr *see* Thorp, J. H.

Allred Coonrod, J. E. *see* Dahm, C. N.

Almodóvar, A. *see* Nicola, G. G.

Alvarez-Cobelas, M., Baltanás, A., Velasco, J. L. & Rojo, C. Daily variations in the optical properties of a small lake, 1051

Alverson, A. J. & Courtney, G. W. Temporal patterns of diatom ingestion by larval net-winged midges (Diptera: Blephariceridae: *Blepharicera*), 2087

Amoros, C. & Bornette, G. Connectivity and biocomplexity in waterbodies of riverine floodplains, 761

Amoros, C. *see* Elger, A.

Andersen, T. *see* Færøvig, P. J.

see also Ryves, D. B.

Andersson, E. & Nilsson, C. Temporal variation in the drift of plant litter and propagules in a small boreal river, 1674

Aprhamian, M. *see* Ibbotson, A.

Arbuckle, C. J. *see* Huryn, A. D.

Arndt, H. *see* Weitere, M.

Arscott, D. B. *see* Ward, J. V.

Atkinson, D. *see* McKee, D.

Balseiro, E. G. *see* Modenutti, B. E.

Baltanás, A. *see* Alvarez-Cobelas, M.

Baranyi, C., Hein, T., Holarek, C., Keckeis, S. & Schiemer, F. Zooplankton biomass and community structure in a Danube River floodplain system: effects of hydrology, 473

Bärlocher, F. & Graça, M. A. S. Exotic riparian vegetation lowers fungal diversity but not leaf decomposition in Portuguese streams, 1123

Barrat-Segretain, M.-H. *see* Elger, A.

Barriga, R. *see* Bojsen, B. H.

Batalha, D. C. *see* Magalhães, F. M.

Beeck, P., Tauber, S., Kiel, S. & Borcherding, J. 0+ perch predation on 0+ bream: a case study in a eutrophic gravel pit lake, 2359

Beja, P. *see* Magalhães, M. F.

Benndorf, J. *see* Kasprzak, P.

see also Mehner, T.

Benndorf, J., Böing, W., Koop, J. & Neubauer, I. Top-down control of phytoplankton: the role of time scale, lake depth and trophic state, 2282

Berg, D. J., Garton, D. W., Macisaac, H. J., Panov, V. E. & Telesh, I. V. Changes in genetic structure of North American *Bythotrephes* populations following invasion from Lake Ladoga, Russia, 275

Berg, S. *see* Skov, C.

see also Jacobsen, L.

Bergström, A.-K. *see* Drakare, S.

Bernáth, B., Szedenics, G., Wildermuth, H. & Horváth, G. How can dragonflies discern bright and dark waters from a distance? The degree of polarisation of reflected light as a possible cue for dragonfly habitat selection, 1707

Bettez, N. D., Rublee, P. A., O'Brien, J. & Miller, M. C. Changes in abundance, composition and controls within the plankton of a fertilised arctic lake, 303

Bilton, D. T. *see* Kelly, L. C.

see also Rundle, S. D.

Blanco, G. *see* Cagigas, M. E.

Blindow, I. *see* Marklund, O.

Blinn, D. W. *see* Miller, M. P.

Blomqvist, P. *see* Brunberg, A.-K.

see also Drakare, S.

Blumenshine, S. C. *see* Hambright, K. D.

Böing, W. *see* Benndorf, J.

Boisclair, D. *see* Marchand, F.

Bojsen, B. H. & Barriga, R. Effects of deforestation on fish community structure in Ecuadorian Amazon streams, 2246

Borcherding, J. *see* Beeck, P.

Bornette, G. *see* Amoros, C.

Bourassa, N. *see* Wunsam, S.

Bradley, D. C. & Ormerod, S. J. Long-term effects of catchment liming on invertebrates in upland streams, 161

Bradshaw, E. G., Anderson, N. J., Jensen, J. P. & Jeppesen, E. Phosphorus dynamics in Danish lakes and the implications for diatom ecology and palaeoecology, 1963

Brasington, J. *see* Richards, K.

Brett, M. T. *see* Park, S.

Broberg, M. *see* Jacobsen, L.

Brodersen, K. P. & Anderson, N. J. Distribution of chironomids (Diptera) in low arctic West Greenland lakes: trophic conditions, temperature and environmental reconstruction, 1137

Brönmark, C. *see* Åbjörnsson, K.

Brown, A. G. Learning from the past: palaeohydrology and palaeoecology, 817

Brunberg, A.-K., Nilsson, E. & Blomqvist, P. Characteristics of oligotrophic hardwater lakes in a postglacial land-rise area in mid-Sweden, 1451

Buckton, S. T. & Ormerod, S. J. Global patterns of diversity among the specialist birds of riverine landscapes, 695

Buergisser, G. M. *see* Frutiger, A.

Buijse, A. D., Coops, H., Staras, M., Jans, L. H., van Geest, G. J., Grift, R. E., Ibelings, B. W., Oosterberg, W. & Roozen, F. C. J. M. Restoration strategies for river floodplains along large lowland rivers in Europe, 889

Bunn, S. E. *see* Cook, B. D.

Burgherr, P. *see* Robinson, C. T.

Burkart, G. *see* Cole, P. C.

Burks, R. L., Lodge, D. M., Jeppesen, E. & Lauridsen, T. L. Diel horizontal migration of zooplankton: costs and benefits of inhabiting the littoral, 343

Burns, C. W. *see* Hall, C. J.

Bury, S. *see* Collier, K. J.

Butler, M. G. *see* Zimmer, K. D.

Butz Huryn, V. M. *see* Huryn, A. D.

Cagigas, M. E., Vázquez, E., Blanco, G. & Sánchez, J. A. Phylogeographical lineages in brown trout (*Salmo trutta*): investigating microgeographical differentiation between native populations from Northern Spain, 1879

Callieri, C. & Piscia, R. Photosynthetic efficiency and seasonality of autotrophic picoplankton in Lago Maggiore after its recovery, 941

Canas, C. *see* Magalhães, M. F.

Caouette, J. P. *see* Chaloner, D. T.

Capra, H. *see* Lamouroux, N.

Carpenter, S. R. *see* Lathrop, R. C.

Carrillo, P. *see* Medina-Sánchez, J. M.

Carter Johnson, W. Riparian vegetation diversity along regulated rivers: contribution of novel and relict habitats, 749

Carvalho, G. R. *see* Mitchell, S. E.

Casper, A. F. *see* Thorp, J. H.

Cattaneo, A. *see* Wunsam, S.

Cavalcanti, C. *see* Starling, F.

Cedergreen, N. *see* Madsen, T. V.

Chaloner, D. T., Wipfli, M. S. & Caouette, J. P. Mass loss and macroinvertebrate

© 2002 Blackwell Science Ltd

colonisation of Pacific salmon carcasses in south-eastern Alaskan streams, 263
Chauvet, E. *see* Laitung, B.
see also Díez, J.
Choiseul, V. *see* Rundle, S. D.
Church, M. Geomorphic thresholds in riverine landscapes, 541
Claret, C. *see* Ward, J. V.
Clarke, R. T., Furse, M. T., Gunn, R. J. M., Winder, J. M. & Wright, J. F. Sampling variation in macroinvertebrate data and implications for river quality indices, 1735
Clements, W. H. *see* Courtney, L. A.
Cleverly, J. R. *see* Dahm, C. N.
Cobbs, G. A. *see* Thorp, J. H.
Cognato, A. I. *see* Galacatos, K.
Cole, P. C., Luecke, C., Wurtsbaugh, W. A. & Burkart, G. Growth and survival of *Daphnia* in epilimnetic and metalimnetic water from oligotrophic lakes: the effects of food and temperature, 2113
Collares-Pereira, M. J. *see* Magalhães, M. F.
see also Magalhães, M. F.
Collier, K. J., Bury, S. & Gibbs, M. A stable isotope study of linkages between stream and terrestrial food webs through spider predation, 1651
Collings, S. *see* McKee, D.
Conde-Porcuna, J. M., Ramos-Rodríguez, E. & Pèrez-Martínez, C. Correlations between nutrient concentrations and zooplankton populations in a mesotrophic reservoir, 1463
Cook, B. D., Bunn, S. E. & Hughes, J. M. Genetic structure and dispersal of *Macrobrachium australiense* (Decapoda: Palaemonidae) in western Queensland, Australia, 2098
Coops, H. *see* Buijse, A. D.
Courtney, G. W. *see* Alverson, A. J.
Courtney, L. A. & Clements, W. H. Assessing the influence of water and substratum quality on benthic macroinvertebrate communities in a metal-polluted stream: an experimental approach, 1766
Craft, J. A., Stanford, J. A. & Pusch, M. Microbial respiration within a floodplain aquifer of a large gravel-bed river, 251
Crenshaw, C. L., Valett, H. M. & Webster, J. R. Effects of augmentation of coarse particulate organic matter on metabolism and nutrient retention in hyporheic sediments, 1820
Crenshaw, C. L. *see* Merriam, J. L.

Dahm, C. N., Cleverly, J. R., Allred Coonrod, J. E., Thibault, J. R., McDonnell, D. E. & Gilroy, D. J. Evapotranspiration at the land/water interface in a semi-arid drainage basin, 831
Dawidowicz, P., Prejs, A., Engelmayer, A., Martyniak, A., Kozłowski, J., Kufel, L. & Paradowska, M. Hypolimnetic anoxia hampers top–down food-web manipulation in a eutrophic lake, 2401
Death, R. G. *see* Joy, M. K.
Dent, M. M. *see* Maberly, S. C.
Devine, J. A. & Vanni, M. J. Spatial and seasonal variation in nutrient excretion by benthic invertebrates in a eutrophic reservoir, 1107
Dick, J. T. A. *see* Kelly, D. W.
Díez, J., Elosegi, A., Chauvet, E. & Pozo, J. Breakdown of wood in the Agüera stream, 2205
Dimick, S. M. *see* Hill, W. R.
Dionisio Pires, L. M. & Van Donk, E. Comparing grazing by *Dreissena polymorpha* on phytoplankton in the presence of toxic and non-toxic cyanobacteria, 1855
Dobson, M., Magana, A., Mathooko, J. M. & Ndegwa, F. K. Detritivores in Kenyan highland streams: more evidence for the paucity of shredders in the tropics?, 909
Dobson, M. *see* Laitung, B.
Dole-Olivier, M.-J. *see* Malard, F.
Drakare, S., Blomqvist, P., Bergström, A.-K. & Jansson, M. Primary production and phytoplankton composition in relation to DOC input and bacterioplankton production in humic Lake Örträsket, 41
Duggan, I. C., Green, J. D. & Shiel, R. J. Distribution of rotifer assemblages in North Island, New Zealand, lakes: relationships to environmental and historical factors, 195

Eaton, J. *see* McKee, D.
see also Williams, A. E.
Edmundson, J. A. & Mazumder, A. Regional and hierarchical perspectives of thermal regimes in subarctic, Alaskan lakes, 1
Edwards, P. J. *see* Karrenberg, S.
see also Tockner, K.
Elger, A., Barrat-Segretain, M.-H. & Amoros, C. Plant palatability and disturbance level in aquatic habitats: an experimental approach using the snail *Lymnaea stagnalis* (L.), 931
Elliott, J. A., Irish, A. E. & Reynolds, C. S. Predicting the spatial dominance of phytoplankton in a light limited and incompletely mixed eutrophic water column using the PROTECH model, 433
Elliott, J. M. A continuous study of the total drift of freshwater shrimps, *Gammarus pulex*, in a small stony stream in the English Lake District, 75
Elliott, J. M. The drift distances and time spent in the drift by freshwater shrimps, *Gammarus pulex*, in a small stony stream, and their implications for the interpretation of downstream dispersal, 1403
Elliott, J. M. Time spent in the drift by downstream-dispersing invertebrates in a Lake District stream, 97
Eloranta, P. *see* Liljendahl-Nurminen, A.
Elosegi, A. *see* Díez, J.
Elser, J. J. *see* Frost, P. C.
Engelmayer, A. *see* Dawidowicz, P.

Færøvig, P. J., Andersen, T. & Hessen, D. O. Image analysis of *Daphnia* populations: non-destructive determination of demography and biomass in cultures, 1956
Fesl, C. Biodiversity and resource use of larval chironomids in relation to environmental factors in a large river, 1065
Fields, D. M. *see* Lapesa, S.
Figuerola, J. & Green, A. J. Dispersal of aquatic organisms by waterbirds: a review of past research and priorities for future studies, 483
Findlay, D. L. *see* Paterson, M. J.
Foggo, A. *see* Rundle, S. D.
Fore, L. S. & Grafe, C. Using diatoms to assess the biological condition of large rivers in Idaho (U.S.A.), 2015
Frahm, A. *see* Weisse, T.
Friberg, N. *see* Thomsen, A. G.
Frisch, D. Dormancy, dispersal and the survival of cyclopoid copepods (Cyclopoida, Copepoda) in a lowland floodplain, 1269
Fritz, S. C. *see* Saros, J. E.
Frost, P. C. & Elser, J. J. Effects of light and nutrients on the net accumulation and elemental composition of epilithon in boreal lakes, 173
Frutiger, A. The function of the suckers of larval net-winged midges (Diptera: Blephariceridae), 293
Frutiger, A. & Buergisser, G. M. Life history variability of a grazing stream insect (*Liponeura cinerascens minor*; Diptera: Blephariceridae), 1618
Furse, M. T. *see* Clarke, R. T.

Galacatos, K., Cognato, A. I. & Sperling, F. A. H. Population genetic structure of two water strider species in the Ecuadorian Amazon, 391
Gardiner, E. P. *see* Sutherland, A. B.
Garton, D. W. *see* Berg, D. J.
van Geest, G. J. *see* Buijse, A. D.
Geller, W. *see* Woelfl, S.
Gerten, D. & Adrian, R. Species-specific changes in the phenology and peak abundance of freshwater copepods in response to warm summers, 2163
Gibbs, M. *see* Collier, K. J.

Gibson, C. E. *see* Maberly, S. C.
Gilbert, J. J. Endogenous regulation of environmentally induced sexuality in a rotifer: a multigenerational parental effect induced by fertilisation, 1633
Gilroy, D. J. *see* Dahm, C. N.
Gliwicz, G. M. On the different nature of top-down and bottom-up effects in pelagic food webs, 2296
Goedkoop, W. *see* Johnson, R. K.
Goldman, C. R. *see* Park, S.
Graça, M. A. S. *see* Bärlocher, F.
Grafe, C. *see* Fore, L. S.
Green, A. J. *see* Figuerola, J.
Green, J. D. *see* Duggan, I. C.
Gregory, S. V. *see* Gurnell, A. M.
Gregovich, D. P. *see* Wipfli, M. S.
Grey, J., Thackeray, S. J., Jones, R. I. & Shine, A. Ferox Trout (*Salmo trutta*) as 'Russian dolls': complementary gut content and stable isotope analyses of the Loch Ness foodweb, 1235
Grift, R. E. *see* Buijse, A. D.
Gunn, R. J. M. *see* Clarke, R. T.
Gurnell, A. M. & Petts, G. E. Island-dominated landscapes of large floodplain rivers, a European perspective, 581
Gurnell, A. M., Piégay, H., Swanson, F. J. & Gregory, S. V. Large wood and fluvial processes, 601

Haertel, S. S. *see* Hölker, F.
Hall, C. J. & Burns, C. W. Mortality and growth responses of *Daphnia carinata* to increases in temperature and salinity, 451
Hamada, N., McCreadie, J. W. & Adler, P. H. Species richness and spatial distribution of blackflies (Diptera: Simuliidae) in streams of Central Amazonia, Brazil, 31
Hambright, K. D., Blumenshine, S. C. & Shapiro, J. Can filter-feeding fishes improve water quality in lakes?, 1173
Hanson, M. A. *see* Zimmer, K. D.
Hansson, L.-A. *see* Åbjörnsson, K.
see also Marklund, O.
Harms, S. The effect of bladderwort (*Utricularia*) predation on microcrustacean prey, 1608
Harris, I. T. *see* Harrison, S. S. C.
Harrison, S. S. C. & Harris, I. T. The effects of bankside management on chalk stream invertebrate communities, 2233
Harvey, I. *see* McKee, D.
Hasselrot, A. T. *see* Kahlert, M.
Hatton, K. *see* McKee, D.
Hehir, G. *see* Marchant, R.
Hein, T. *see* Baranyi, C.
Helminen, H. *see* Tarvainen, M.
Hendricks, A. C. *see* Schultheis, A. S.
Hendzel, L. L. *see* Paterson, M. J.
Herlihy, A. T. *see* Hill, B. H.
Hessen, D. O. *see* Færøvig, P. J.
see also Wærvågen, S. B.
Hesslein, R. H. *see* Paterson, M. J.
Heyes, T. *see* McKee, D.
Hildrew, A. G. *see* Woodward, G.
Hill, B. H., Herlihy, A. T. & Kaufmann, P. R. Benthic microbial respiration in Appalachian Mountain, Piedmont, and Coastal Plains streams of the eastern U.S.A., 185
Hill, W. R. & Dimick, S. M. Effects of riparian leaf dynamics on periphyton photosynthesis and light utilisation efficiency, 1245
Hillebrand, H. *see* Kahlert, M.
Hirst, H., Jüttner, I. & Ormerod, S. J. Comparing the responses of diatomsand macroinvertebrates to metals in upland streams of Wales and Cornwall, 1752
Holarek, C. *see* Baranyi, C.
Hölker, F., Haertel, S. S., Steiner, S. & Mehner, T. Effects of piscivore-mediated habitat use on growth, diet and zooplankton consumption of roach: an individual-based modelling approach, 2345
Horppila, J. *see* Liljendahl-Nurminen, A.
see also Vaitomaa, J.
Horváth, G. *see* Bernáth, B.
Hrabik, T. R. *see* Lathrop, R. C.
Huber, H. *see* Matthaei, C. D.
Huebert, D. *see* Squires, M. M.
Hughes, F. *see* Richards, K.
Hughes, J. M. *see* Cook, B. D.
Hugueny, B. *see* Oberdorff, T.
Hülsmann, S. & Voigt, H. Life history of *Daphnia galeata* in a hypertrophic reservoir and consequences of non-consumptive mortality for the initiation of a midsummer decline, 2313
Humphries, P., Serafini, L. G. & King, A. J. River regulation and fish larvae: variation through space and time, 1307
Humphries, S. Dispersal in drift-prone macroinvertebrates: a case for density-independence, 921
Huryn, A. D., Butz Huryn, V. M., Arbuckle, C. J. & Tsomides, L. Catchment land-use, macroinvertebrates and detritus processing in headwater streams: taxonomic richness versus function, 401

Ibbotson, A., Smith, J., Scarlett, P. & Aprhamian, M. Colonisation of freshwater habitats by the European eel *Anguilla anguilla*, 1696
Ibelings, B. W. *see* Buijse, A. D.
Innes, D. J. *see* Winsor, G. L.
Inoue, M. & Nunokawa, M. Effects of longitudinal variations in stream habitat structure on fish abundance: an analysis based on subunit-scale habitat classification, 1594
Inoue, M. *see* Negishi, J. N.
Irish, A. E. *see* Elliott, J. A.
Ishikawa, T. & Urabe, J. Population dynamics and production of *Jesogammarus annandalei*, an endemic amphipod, in Lake Biwa, Japan, 1935

Jackson, D. A. *see* Olden, J. D.
Jacobsen, D. *see* Sand-Jensen, K.
Jacobsen, L., Berg, S., Broberg, M., Jepsen, N. & Skov, C. Activity and food choice of piscivorous perch (*Perca fluviatilis*) in a eutrophic shallow lake: a radio-telemetry study, 2370
Jans, L. H. *see* Buijse, A. D.
Jansson, M. *see* Drakare, S.
Jensen, J. P. *see* Bradshaw, E. G.
Jeppesen, E. *see* Burks, R. L.
see also Bradshaw, E. G.
Jepsen, N. *see* Jacobsen, L.
Johnson, B. M. *see* Lathrop, R. C.
Johnson, R. K. & Goedkoop, W. Littoral macroinvertebrate communities: spatial scale and ecological relationships, 1840
Johnson, S. L. *see* Merriam, J. L.
Johnson, T. B. *see* Lathrop, R. C.
Jones, J. B., Jr Groundwater controls on nutrient cycling in a Mojave desert stream, 971
Jones, J. I. *see* Woodward, G.
Jones, R. I. *see* Grey, J.
see also Maberly, S. C.
Jonsson, B. *see* Jonsson, N.
Jonsson, N. & Jonsson, B. Migration of anadromous brown trout *Salmo trutta* in a Norwegian river, 1391
Joy, M. K. & Death, R. G. Predictive modelling of freshwater fish as a biomonitoring tool in New Zealand, 2261
Jungwirth, M., Muhar, S. & Schmutz, S. Re-establishing and assessing ecological integrity in riverine landscapes, 867
Junk, W. J. *see* Adis, J.
Jüttner, I. *see* Hirst, H.

Kahl, U. *see* Radke, R. J.
Kahlert, M., Hasselrot, A. T., Hillebrand, H. & Pettersson, K. Spatial and temporal variation in the biomass and nutrient status of epilithic algae in Lake Erken, Sweden, 1191
Kamjunke, N., Schmidt, K., Pflugmacher, S. & Mehner, T. Consumption of cyanobacteria by roach (*Rutilus rutilus*): useful or harmful to the fish?, 243
Kappes, H. & Sinsch, U. Temperature- and predator-induced phenotypic plasticity in *Bosmina cornuta* and *B. pellucida* (Crustacea: Cladocera), 1944

Karrenberg, S., Edwards, P. J. & Kollmann, J. The life history of Salicaceae living in the active zone of floodplains, 733
Kasprzak, P., Benndorf, J., Mehner, T. & Koschel, R. Biomanipulation of lake ecosystems: an introduction, 2277
Kasprzak, P. *see* Mehner, T.
Kaufmann, P. R. *see* Hill, B. H.
Keckeis, S. *see* Baranyi, C.
Keim, P. *see* Miller, M. P.
Kelly, D. W., Dick, J. T. A. & Montgomery, W. I. Predation on mayfly nymph, *Baetis rhodani*, by native and introduced *Gammarus*: direct effects and the facilitation of predation by salmonids, 1257
Kelly, L. C., Rundle, S. D. & Bilton, D. T. Genetic population structure and dispersal in Atlantic Island caddisflies, 1642
Kiel, S. *see* Beeck, P.
Kilinc, S. & Moss, B. Whitemere, a lake that defies some conventions about nutrients, 207
King, A. J. *see* Humphries, P.
King, L. *see* Maberly, S. C.
Kirk, K. L. Competition in variable environments: experiments with planktonic rotifers, 1089
Kitchell, J. F. *see* Lathrop, R. C.
Kollmann, J. *see* Karrenberg, S.
see also Tockner, K.
Koop, J. *see* Benndorf, J.
Koschel, R. *see* Kasprzak, P.
see also Mehner, T.
Kozłowski, J. *see* Dawidowicz, P.
Kufel, L. *see* Dawidowicz, P.
Kukkonen, J. V. K. *see* Vuori, K.-M.

Laitung, B., Pretty, J. L., Chauvet, E. & Dobson, M. Response of aquatic hyphomycete communities to enhanced stream retention in areas impacted by commercial forestry, 313
Lamberti, G. A. *see* Strauss, E. A.
Lammens, E. H. R. R., van Nes, E. H. & Mooij, W. M. Differences in the exploitation of bream in three shallow lake systems and their relation to water quality, 2435
Lamouroux, N. & Capra, H. Simple predictions of instream habitat model outputs for target fish populations, 1543
Lamouroux, N. & Souchon, Y. Simple predictions of instream habitat model outputs for fish habitat guilds in large streams, 1531
Lapesa, S., Snell, T. W., Fields, D. M. & Serra, M. Predatory interactions between a cyclopoid copepod and three sibling rotifer species, 1685
Lathrop, R. C., Johnson, B. M., Johnson, T. B., Vogelsang, M. T., Carpenter, S. R., Hrabik, T. R., Kitchell, J. F., Magnuson, J. J., Rudstam, L. G. & Stewart, R. S. Stocking piscivores to improve fishing and water clarity: a synthesis of the Lake Mendota biomanipulation project, 2410
Lauridsen, T. L. *see* Burks, R. L.
Laurila, A. *see* Räsänen, K.
Laybourn-Parry, J. *see* Marshall, W.
Lazzaro, X. *see* Starling, F.
Lesack, L. F. W. *see* Squires, M. M.
Leuven, R. S. E. W. & Poudevigne, I. Riverine landscape dynamics and ecological risk assessment, 845
Lewis, L. C. *see* Magoulick, D. D.
Liljendahl-Nurminen, A., Horppila, J., Eloranta, P., Malinen, T. & Uusitalo, L. The seasonal dynamics and distribution of *Chaoborus flavicans* larvae in adjacent lake basins of different morphometry and degree of eutrophication, 1283
Lodge, D. M. *see* Burks, R. L.
Luecke, C. *see* Cole, P. C.

Maberly, S. C., King, L., Dent, M. M., Jones, R. I. & Gibson, C. E. Nutrient limitation of phytoplankton and periphyton growth in upland lakes, 2136
Maberly, S. C. *see* Reynolds, C. S.
Macisaac, H. J. *see* Berg, D. J.
Madsen, T. V. & Cedergreen, N. Sources of nutrients to rooted submerged macrophytes growing in a nutrient-rich stream, 283
Magalhães, M. F., Batalha, D. C., Collares-Pereira, M. J. Gradients in stream fish assemblages across a Mediterranean landscape: contribution of environmental factors and spatial structure, 1015
Magalhães, M. F., Beja, P., Canas, C. & Collares-Pereira, M. J. Functional heterogeneity of dry-season fish refugia across a Mediterranean catchment: the role of habitat and predation, 1919
Magana, A. *see* Dobson, M.
Magnan, P. *see* Marchand, F.
Magnuson, J. J. *see* Lathrop, R. C.
Magoulick, D. D. & Lewis, L. C. Predation on exotic zebra mussels by native fishes: effects on predator and prey, 1908
Malard, F., Tockner, K., Dole-Olivier, M.-J. & Ward, J. V. A landscape perspective of surface–subsurface hydrological exchanges in river corridors, 621
Malinen, T. *see* Liljendahl-Nurminen, A.
Malmqvist, B. Aquatic invertebrates in riverine landscapes, 679
March, J. G., Pringle, C. M., Townsend, M. J. & Wilson, A. I. Effects of freshwater shrimp assemblages on benthic communities along an altitudinal gradient of a tropical island stream, 377
Marchand, F., Magnan, P. & Boisclair, D. Water temperature, light intensity and zooplankton density and the feeding activity of juvenile brook charr (*Salvelinus fontinalis*), 2153
Marchant, R. & Hehir, G. The use of AUSRIVAS predictive models to assess the response of lotic macroinvertebrates to dams in south-east Australia, 1033
Marklund, O., Sandsten, H., Hansson, L.-A. & Blindow, I. Effects of waterfowl and fish on submerged vegetation and macroinvertebrates, 2049
Marshall, W. & Laybourn-Parry, J. The balance between photosynthesis and grazing in Antarctic mixotrophic cryptophytes during summer, 2060
Martyniak, A. *see* Dawidowicz, P.
Mathooko, J. M. *see* Dobson, M.
Matthaei, C. D. & Huber, H. Microform bed clusters: are they preferred habitats for invertebrates in a flood-prone stream?, 2174
Mazumder, A. *see* Edmundson, J. A.
McCreadie, J. W. *see* Hamada, N.
McDonnell, D. E. *see* Dahm, C. N.
McDowell, W. H. *see* Merriam, J. L.
McGowan, S. *see* Ryves, D. B.
McIntosh, A. R., Peckarsky, B. L. & Taylor, B. W. The influence of predatory fish on mayfly drift: extrapolating from experiments to nature, 1497
McKee, D., Atkinson, D., Collings, S., Eaton, J., Harvey, I., Heyes, T., Hatton, K., Wilson, D. & Moss, B. Macrozooplankter responses to simulated climate warming in experimental freshwater microcosms, 1557
Medina-Sánchez, J. M., Villar-Argaiz, M. & Carrillo, P. Modulation of the bacterial response to spectral solar radiation by algae and limiting nutrients, 2191
Mehner, T. *see* Kamjunke, N.
see also Kasprzak, P.
Mehner, T., Benndorf, J., Kasprzak, P. & Koschel, R. Biomanipulation of lake ecosystems: successful applications and expanding complexity in the underlying science, 2453
Mehner, T. *see* Hölker, F.
see also Wysujack, K.
Merilä, J. *see* Räsänen, K.
Merriam, J. L., McDowell, W. H., Tank, J. L., Wollheim, W. M., Crenshaw, C. L. & Johnson, S. L. Characterizing nitrogen dynamics, retention and transport in a tropical rainforest stream using an *in situ* ^{15}N addition, 143

Mertes, L. A. K. Remote sensing of riverine landscapes, 799
Meyer, J. L. *see* Sutherland, A. B.
Miller, M. C. *see* Bettez, N. D.
Miller, M. P., Blinn, D. W. & Keim, P. Correlations between observed dispersal capabilities and patterns of genetic differentiation in populations of four aquatic insect species from the Arizona White Mountains, U.S.A., 1660
Mitchell, S. E. & Carvalho, G. R. Comparative demographic impacts of 'info-chemicals' and exploitative competition: an empirical test using *Daphnia magna*, 459
Miyake, Y. & Nakano, S. Effects of substratum stability on diversity of stream invertebrates during baseflow at two spatial scales, 219
Modenutti, B. E. & Balseiro, E. G. Mixotrophic ciliates in an Andean lake: dependence on light and prey of an *Ophrydium naumanni* population, 121
Mohr, S. & Adrian, R. Reproductive success of the rotifer *Brachionus calyciflorus* feeding on ciliates and flagellates of different trophic modes, 1832
Moilanen, M. *see* Ventelä, A. M.
Montgomery, W. I. *see* Kelly, D. W.
Mooij, W. M. *see* Lammens, E. H. R. R.
Moreira, R. *see* Starling, F.
Moss, B. *see* Kilinc, S.
see also McKee, D.
see also Williams, A. E.
Muhar, S. *see* Jungwirth, M.
Müller, J. C., Schramm, S. & Seitz, A. Genetic and morphological differentiation of *Dikerogammarus* invaders and their invasion history in Central Europe, 2039
Müller-Navarra, D. C. *see* Park, S.

Nair, K. V. K. *see* Sekar, R.
Nakano, S. *see* Miyake, Y.
Ndegwa, F. K. *see* Dobson, M.
Negishi, J. N., Inoue, M. & Nunokawa, M. Effects of channelisation on stream habitat in relation to a spate and flow refugia for macroinvertebrates in northern Japan, 1515
van Nes, E. H. *see* Lammens, E. H. R. R.
Neubauer, I. *see* Benndorf, J.
Nicola, G. G. & Almodóvar, A. Reproductive traits of stream-dwelling brown trout *Salmo trutta* in contrasting neighbouring rivers of central Spain, 1353
Nilsson, C. *see* Andersson, E.
Nilsson, E. *see* Brunberg, A.-K.
Nunokawa, M. *see* Inoue, M.
see also Negishi, J. N.

Oberdorff, T., Pont, D., Hugueny, B. & Porcher, J.-P. Development and validation of a fish-based index for the assessment of 'river health' in France, 1720
O'Brien, J. *see* Bettez, N. D.
Olden, J. D. & Jackson, D. A. A comparison of statistical approaches for modelling fish species distributions, 1976
Oosterberg, W. *see* Buijse, A. D.
Ormerod, S. J. *see* Bradley, D. C.
see also Buckton, S. T.
see also Hirst, H.

Pagano, A. M. *see* Titus, J. E.
Panov, V. E. *see* Berg, D. J.
Paradowska, M. *see* Dawidowicz, P.
Park, S., Brett, M. T., Müller-Navarra, D. C. & Goldman, C. R. Essential fatty acid content and the phosphorus to carbon ratio in cultured algae as indicators of food quality for *Daphnia*, 1377
Paterson, M. J., Findlay, D. L., Salki, A. G., Hendzel, L. L. & Hesslein, R. H. The effects of *Daphnia* on nutrient stoichiometry and filamentous cyanobacteria: a mesocosm experiment in a eutrophic lake, 1217
Patoine, A., Pinel-Alloul, B. & Prepas, E. E. Effects of catchment perturbations by logging and wildfires on zooplankton species richness and composition in Boreal Shield lakes, 1996
Peckarsky, B. L. *see* McIntosh, A. R.
Pèrez-Martínez, C. *see* Conde-Porcuna, J. M.
Perrow, M. R. *see* Skov, C.
Pettersson, K. *see* Kahlert, M.
Petts, G. E. *see* Gurnell, A. M.
Pflugmacher, S. *see* Kamjunke, N.
Piégay, H. *see* Gurnell, A. M.
Pinel-Alloul, B. *see* Patoine, A.
Piscia, R. *see* Callieri, C.
Pont, D. *see* Oberdorff, T.
Poole, G. C. Fluvial landscape ecology: addressing uniqueness within the river discontinuum, 641
Porcher, J.-P. *see* Oberdorff, T.
Poudevigne, I. *see* Leuven, R. S. E. W.
Pozo, J. *see* Díez, J.
Prejs, A. *see* Dawidowicz, P.
Prepas, E. E. *see* Patoine, A.
Pretty, J. L. *see* Laitung, B.
Pringle, C. M. *see* March, J. G.
Pusch, M. *see* Craft, J. A.

Radke, R. J. & Kahl, U. Effects of a filter-feeding fish [silver carp, *Hypophthalmichthys molitrix* (Val.)] on phyto- and zooplankton in a mesotrophic reservoir: results from an enclosure experiment, 2337
Ramos-Rodríguez, E. *see* Conde-Porcuna, J. M.
Rao, V. N. R. *see* Sekar, R.
Räsänen, K., Laurila, A. & Merilä, J. Carry-over effects of embryonic acid conditions on development and growth of *Rana temporaria* tadpoles, 19
Repka, S. *see* Vaitomaa, J.
Reynolds, C. S. & Maberly, S. C. A simple method for approximating the supportive capacities and metabolic constraints in lakes and reservoirs, 1183
Reynolds, C. S. *see* Elliott, J. A.
Richards, K., Brasington, J. & Hughes, F. Geomorphic dynamics of floodplains: ecological implications and a potential modelling strategy, 559
Robinson, C. T., Tockner, K. & Burgherr, P. Seasonal patterns in macroinvertebrate drift and seston transport in streams of an alpine glacial flood plain, 985
Robinson, C. T., Tockner, K. & Ward, J. V. The fauna of dynamic riverine landscapes, 661
Rojo, a. C. *see* Alvarez-Cobelas, M.
Roozen, F. C. J. M. *see* Buijse, A. D.
Rosi-Marshall, E. J. & Wallace, J. B. Invertebrate food webs along a stream resource gradient, 129
Rublee, P. A. *see* Bettez, N. D.
Rudstam, L. G. *see* Lathrop, R. C.
Rukke, N. A. *see* Wærvågen, S. B.
Rundle, S. D., Foggo, A., Choiseul, V. & Bilton, D. T. Are distribution patterns linked to dispersal mechanism? An investigation using pond invertebrate assemblages, 1571
Rundle, S. D. *see* Kelly, L. C.
Ryves, D. B., McGowan, S. & Anderson, N. J. Development and evaluation of a diatom-conductivity model from lakes in West Greenland, 995

Saari, L. *see* Vaitomaa, J.
Saarikari, V. *see* Ventelä, A. M.
Salki, A. G. *see* Paterson, M. J.
Sánchez, J. A. *see* Cagigas, M. E.
Sand-Jensen, K. & Jacobsen, D. Herbivory and growth in terrestrial and aquatic populations of amphibious stream plants, 1475
Sandsten, H. *see* Marklund, O.
Saros, J. E. & Fritz, S. C. Resource competition among saline-lake diatoms under varying N/P ratio, salinity and anion composition, 87
Sarvala, J. *see* Tarvainen, M.
see also Ventelä, A. M.
Scarlett, P. *see* Ibbotson, A.
Scarsbrook, M. R. Persistence and stability of lotic invertebrate communities in New Zealand, 417
Schiemer, F. *see* Baranyi, C.
Schmidt, K. *see* Kamjunke, N.
Schmutz, S. *see* Jungwirth, M.

Schramm, S. *see* Müller, J. C.
Schultheis, A. S., Hendricks, A. C. & Weigt, L. A. Genetic evidence for 'leaky' cohorts in the semivoltine stonefly *Peltoperla tarteri* (Plecoptera: Peltoperlidae), 367
Seitz, A. *see* Müller, J. C.
Sekar, R., Nair, K. V. K., Rao, V. N. R. & Venugopalan, V. P. Nutrient dynamics and successional changes in a lentic freshwater biofilm, 1893
Serafini, L. G. *see* Humphries, P.
Serra, M. *see* Lapesa, S.
Shapiro, J. *see* Hambright, K. D.
Shiel, R. J. *see* Duggan, I. C.
Shine, A. *see* Grey, J.
Sinsch, U. *see* Kappes, H.
Sivonen, K. *see* Vaitomaa, J.
Skov, C., Perrow, M. R., Berg, S. & Skovgaard, H. Changes in the fish community and water quality during seven years of stocking piscivorous fish in a shallow lake, 2388
Skov, C. *see* Jacobsen, L.
Skovgaard, H. *see* Skov, C.
Smith, J. *see* Ibbotson, A.
Snell, T. W. *see* Lapesa, S.
Souchon, Y. *see* Lamouroux, N.
Sperling, F. A. H. *see* Galacatos, K.
Squires, M. M., Lesack, L. F. W. & Huebert, D. The influence of water transparency on the distribution and abundance of macrophytes among lakes of the Mackenzie Delta, Western Canadian Arctic, 2123
Stanford, J. A. *see* Craft, J. A.
Staras, M. *see* Buijse, A. D.
Starling, F., Lazzaro, X., Cavalcanti, C. & Moreira, R. Contribution of omnivorous tilapia to eutrophication of a shallow tropical reservoir: evidence from a fish kill, 2443
Steiner, S. *see* Hölker, F.
Stewart, R. S. *see* Lathrop, R. C.
Strauss, E. A. & Lamberti, G. A. Effect of dissolved organic carbon quality on microbial decomposition and nitrification rates in stream sediments, 65
Sutherland, A. B., Meyer, J. L. & Gardiner, E. P. Effects of land cover on sediment regime and fish assemblage structure in four southern Appalachian streams, 1791
Swanson, F. J. *see* Gurnell, A. M.
Szedenics, G. *see* Bernáth, B.

Tallberg, P. *see* Vaitomaa, J.
Tank, J. L. *see* Merriam, J. L.
Tarvainen, M., Sarvala, J. & Helminen, H. The role of phosphorus release by roach [*Rutilus rutilus* (L.)] in the water quality changes of a biomanipulated lake, 2325
Tauber, S. *see* Beeck, P.
Taylor, Brad W. *see* McIntosh, A. R.
Telesh, I. V. *see* Berg, D. J.
Thackeray, S. J. *see* Grey, J.
Thibault, J. R. *see* Dahm, C. N.
Thomsen, A. G. & Friberg, N. Growth and emergence of the stonefly *Leuctra nigra* in coniferous forest streams with contrasting pH, 1159
Thomson, J. R. The effects of hydrological disturbance on the densities of macroinvertebrate predators and their prey in a coastal stream, 1333
Thorp, J. H. & Casper, A. F. Potential effects on zooplankton from species shifts in planktivorous mussels: a field experiment in the St Lawrence River, 107
Thorp, J. H., Alexander, J. E. Jr & Cobbs, G. A. Coping with warmer, large rivers: a field experiment on potential range expansion of northern quagga mussels (*Dreissena bugensis*), 1779
Titus, J. E. & Pagano, A. M. Decomposition of litter from submersed macrophytes: the indirect effects of high [CO_2], 1367
Tockner, K., Ward, J. V., Edwards, P. J. & Kollmann, J. Riverine landscapes: an introduction, 497
Tockner, K. *see* Malard, F.
see also Robinson, C. T.
see also Ward, J. V.
Townsend, M. J. *see* March, J. G.
Tsomides, L. *see* Huryn, A. D.

Urabe, J. *see* Ishikawa, T.
Uusitalo, L. *see* Liljendahl-Nurminen, A.

Vaitomaa, J., Repka, S., Saari, L., Tallberg, P., Horppila, J. & Sivonen, K. Aminopeptidase and phosphatase activities in basins of Lake Hiidenvesi dominated by cyanobacteria and in laboratory grown *Anabaena*, 1582
Valett, H. M. *see* Crenshaw, C. L.
Van De Bund, W. J. & Van Donk, E. Short-term and long-term effects of zooplanktivorous fish removal in a shallow lake: a synthesis of 15 years of data from Lake Zwemlust, 2380
Van Donk, E. *see* Dionisio Pires, L. M.
see also Van De Bund, W. J.
Vanni, M. J. *see* Devine, J. A.
Vázquez, E. M. *see* Cagigas, M. E.
Velasco, J. L. *see* Alvarez-Cobelas, M.
Ventelä, A.-M., Wiackowski, K., Moilanen, M., Saarikari, V., Vuorio, K. & Sarvala, J. The effect of small zooplankton on the microbial loop and edible algae during a cyanobacterial bloom, 1807
Venugopalan, V. P. *see* Sekar, R.
Villar-Argaiz, M.
see Medina-Sánchez, J. M.
Vogelsang, M. T. *see* Lathrop, R. C.
Voigt, H. *see* Hülsmann, S.
Vretare Strand, V. The influence of ventilation systems on water depth penetration of emergent macrophytes, 1097
Vuori, K.-M. & Kukkonen, J. V. K. Hydropsychid (Trichoptera, Hydropsychidae) gill abnormalities as morphological biomarkers of stream pollution, 1297
Vuorio, K. *see* Ventelä, A.-M.

Wallace, J.B. *see* Rosi-Marshall, E. J.
Ward, J. V., Tockner, K., Arscott, D. B. & Claret, C. Riverine landscape diversity, 517
Ward, J. V. *see* Malard, F.
see also Robinson, C. T.
see also Tockner, K.
Wærvågen, S. B., Rukke, N. A. & Hessen, D. O. Calcium content of crustacean zooplankton and its potential role in species distribution, 1866
Webster, J. R. *see* Crenshaw, C. L.
Weigt, L. A. *see* Schultheis, A. S.
Weisse, T. & Frahm, A. Direct and indirect impact of two common rotifer species (*Keratella* spp.) on two abundant ciliate species (*Urotricha furcata, Balanion planctonicum*), 53
Weitere, M. & Arndt, H. Top-down effects on pelagic heterotrophic nanoflagellates (HNF) in a large river (River Rhine): do losses to the benthos play a role?, 1437
Wiackowski, K. *see* Ventelä, A.-M.
Wiens, J. A. Riverine landscapes: taking landscape ecology into the water, 501
Wildermuth, H. *see* Bernáth, B.
Williams, A. E., Moss, B. & Eaton, J. Fish induced macrophyte loss in shallow lakes: top-down and bottom-up processes in mesocosm experiments, 2216
Wilson, A. I. *see* March, J. G.
Wilson, D. *see* McKee, D.
Winder, J. M. *see* Clarke, R. T.
Winsor, G. L. & Innes, D. J. Sexual reproduction in *Daphnia pulex* (Crustacea: Cladocera): observations on male mating behaviour and avoidance of inbreeding, 441
Wipfli, M. S. & Gregovich, D. P. Export of invertebrates and detritus from fishless headwater streams in southeastern Alaska: implications for downstream salmonid production, 957
Wipfli, M. S. *see* Chaloner, D. T.
Woelfl, S. & Geller, W. Chlorella-bearing ciliates dominate in an oligotrophic North Patagonian lake (Lake Pirehueico, Chile): abundance, biomass and symbiotic photosynthesis, 231
Wollheim, W. M. *see* Merriam, J. L.

Woodward, G. & Hildrew, A. G. Food web structure in riverine landscapes, 777

Woodward, G., Jones, J. I. & Hildrew, A. G. Community persistence in Broadstone Stream (U.K.) over three decades, 1419

Wright, J. F. *see* Clarke, R. T.

Wunsam, S., Cattaneo, A. & Bourassa, N. Comparing diatom species, genera and size in biomonitoring: a case study from streams in the Laurentians (Québec, Canada), 325

Wurtsbaugh, W. A. *see* Cole, P. C.

Wysujack, K. & Mehner, T. Comparison of losses of planktivorous fish by predation and seine-fishing in a lake undergoing long-term biomanipulation, 2425

Zimmer, K. D., Hanson, M. A. & Butler, M. G. Effects of fathead minnows and restoration on prairie wetland ecosystems, 2071